ShootHocl ™

超声波雾化降尘系统
Ultrasonic atomization dust reduction system

超声波雾化加湿系统
Ultrasonic atomization humidification system

厂家直销　支持OEM定制

Factory direct sales, support OEM labeling

Jinan SHoot Biological Engineering Co., LTD

公司简介/ publicmanagesimpleseashell

　　济南书德生物工程有限公司、是一家集研发、和销售工业超声波加湿器、超声波降尘机、蔬菜保鲜机、工业除味香薰机、恒温恒湿机、高压微雾喷淋、湿度控制器等配件的高新技术企业.

　　公司成立至今、已申请(证书 资质 专利)30多项。公司品牌主要为超声波雾化机及电子类产品、此类产品主要应用于现代农产品养殖、蔬菜保鲜、加湿降尘除静电、纺织加工食品加工、室内外喷雾造景、室内外消毒等行业的喷雾设备.

　　最新研发的高防腐系列雾化机已经完成申请国内专利、此类雾化机内可加入二氧化氯、次氯酸过氧化氢等对人体无害的低浓度水性溶液、被广泛应用于消毒行业、如智能消毒机器人、消毒门、公交消毒系统、畜牧消毒通道、冷链物流消毒等.

Jinan Shoot Biological Engineering Co., LTD. is a company integrating R&D, production and sales of industrial ultrasonicsHumidifier, ultrasonic dust reduction machine, vegetable preservation machine, industrial deodorization aroma diffuser , constant temperature and umidity machine, highIt is a high-tech enterprise with micro-mist spray, humidity controller and other accessories.

Since its establishment, the company has applied for more than 30 (certificates, qualifications, patents). The company's brand is mainly superSonic atomizers and electronic products, such products are mainly used in modern agricultural product breeding, vegetable protectionFresh, humidification, dust reduction, static removal, textile processing, food processing, indoor and outdoor spray landscaping, indoor and outdoor disinfectionand other industries of spraying equipment.

The newly developed high anti-corrosion series atomizer has completed the application for domestic patents in this type of atomizerIt can be added to chlorine dioxide, hypochlorous acid hydrogen peroxide and other harmless low-concentration aqueous solutions that are harmless to the human bodyIt is widely used in the disinfection industry, such as intelligent disinfection robots, disinfection doors, bus disinfection systems, and animal husbandryDisinfection of toxic channels, cold chain logistics, etc.

荣誉证书

产品名称：超声波雾化系统
Product Name: Ultrasonic Atomization System

本产品超声波雾化加湿机具有安全可靠、性能稳定，使用超声波技术，选用每秒200万次的超声波高频震荡，将水雾化为1微米到5微米的超微粒子和负氧离子，达到均匀加湿，能清新空气，增进健康，营造舒适的工作环境等优点。

This product ultrasonic atomization humidifier is safe, reliable and performantStable, using ultrasonic technology, using 2 million ultrasonic waves per secondHigh-frequency scillations atomize water into ultrafine particles of 1 micron to 5 microns and negativesOxygen ions, to achieve uniform humidification, can freshen the air, improve health, camp Creating a comfortable working environment and other advantages.

产品特点：
Features:

性能优越、采用先进的技术设计制造、外形美观、性能稳定、安全可靠。
Superior performance, advanced technology design and manufacturing, beautiful appearance, stable performance, safe and reliable.

采用集成雾化模块，可更换芯片，维护方便简单，可现场操作。
It adopts an integrated atomization module, replaceable chips, convenient and simple maintenance, and can be operated on site

加湿效率高接近(100%),加湿强度大,产生的雾粒小而均匀,可迅速达到要求的相对湿度。
The humidification efficiency is close to (100%), the humidification intensity is large, and the fog particles produced are small and uniform, which can quickly reach the required relative humidity.

集成雾化机芯自带缺水保护装置，可有效地保证雾化机芯在水位过低时自动停止工作无需另配设备，
The integrated atomization movement comes with a water protection device, which can effectively ensure that the atomization movement will automatically stop working when the water level is too low, and no additional equipment is required

产品规格：
Product Specifications:

产品型号 Product model	MKTSL9A MKTSL9A	雾化量 The amount of atomization	9KG/H 9KG/H
额定功率 Rated power	400W 400W	电压频率 Rated power	220V-50/60HZ 220V-50/60HZ
控制方式 Control mode	手动控制 Manual control	安全保护 Security	过热/过载/缺水 Overheating/overloading/lack of water
产品尺寸 Product dimensions	400*270*470mm 400*270*470mm	水位监测 Water level monitoring	物理浮球水位监测设计 Physical float water level monitoring design

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL18SK MTKSL18SK	超声波雾化系统 Ultrasonic atomization system	800 /1200W 800/1200W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50HZ 220V-50HZ	手动 Manual	18/24KG/H 18/24KG/H
安全保护 Security	产品尺寸 Product dimensions	雾化孔 Atomization hole
过热/过载/缺水 Overheating/overloading /lack of water	450*270*470mm 450*270*470mm	2*110mm 2*110mm

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL36S MTKSL36S	超声波雾化系统 Ultrasonic atomization system	1800W 1800W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50HZ 220V-50HZ	手动 Manual	36KG/H 36KG/H
安全保护 Security	产品尺寸 Product dimensions	雾化孔 Atomization hole
过热/过载/缺水 Overheating/overloading /lack of water	500*330*470mm 500*330*470mm	2*110mm 2*110mm

产品名称：超声波雾化系统
Product Name: Ultrasonic Atomization System

本产品超声波雾化加湿机具有安全可靠、性能稳定，使用超声波技术，选用每秒200万次的超声波高频震荡，将水雾化为1微米到5微米的超微粒子和负氧离子，达到均匀加湿，能清新空气，增进健康，营造舒适的工作环境等优点。

This product ultrasonic atomization humidifier is safe, reliable and performantStable, using ultrasonic technology, using 2 million ultrasonic waves per secondHigh-frequency scillations atomize water into ultrafine particles of 1 micron to 5 microns and negativesOxygen ions, to achieve uniform humidification, can freshen the air, improve health, camp Creating a comfortable working environment and other advantages.

产品特点：
Features:

性能优越、采用先进的技术设计制造、外形美观、性能稳定、安全可靠。
Superior performance, advanced technology design and manufacturing, beautiful appearance, stable performance, safe and reliable.

采用集成雾化模块，可更换芯片，维护方便简单，可现场操作。
It adopts an integrated atomization module, replaceable chips, convenient and simple maintenance, and can be operated on site

加湿效率高接近(100%),加湿强度大,产生的雾粒小而均匀,可迅速达到要求的相对湿度。
The humidification efficiency is close to (100%), the humidification intensity is large, and the fog particles produced are small and uniform, which can quickly reach the required relative humidity.

集成雾化机芯自带缺水保护装置，可有效地保证雾化机芯在水位过低时自动停止工作无需另配设备，
The integrated atomization movement comes with a water protection device, which can effectively ensure that the atomization movement will automatically stop working when the water level is too too low, and no additional equipment is required

产品规格：
Product Specifications:

产品型号 Product model	MKTSL45ST MKTSL45ST	雾化量 The amount of atomization	45KG/H 45KG/H
额定功率 Rated power	2000W 2000W	电压频率 Rated power	220V-50/60HZ 220V-50/60HZ
控制方式 Control mode	手动控制 manual control	安全保护 Security	过热/过载/缺水 Overheating/overloading/lack of water
产品尺寸 Product dimensions	820*320*400mm 820*320*400mm	水位监测 Water level monitoring	物理浮球水位监测设计 Physical float water level monitoring design

Address: Room A802, Tiantai E, Shandai Road, Lixia District, Jinan City, Shandong Province
WhatsApp：+8618560033956

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL18ST MTKSL18ST	超声波雾化系统 Ultrasonic atomization system	800/1200/1600W 800/1200/1600W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50HZ 220V-50HZ	手动 Manual	18/24/36HG/H 18/24/36HG/H
安全保护 Security	产品尺寸 Product dimensions	万向轮 Spinner wheels
过热/过载/缺水 Overheating/overloading /lack of water	720*320*400mm 720*320*400mm	有 Yes

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL9AT MTKSL9AT	超声波雾化系统 Ultrasonic atomization system	400/800W 400/800W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50HZ 220V-50HZ	手动 Manual	9/18HG/H 9/18HG/H
安全保护 Security	产品尺寸 Product dimensions	万向轮 Spinner wheels
过热/过载/缺水 Overheating/overloading /lack of water	700*320*400mm 700*320*400mm	有 Yes

产品名称：超声波雾化系统
Product Name: Ultrasonic Atomization System

本产品超声波雾化加湿机具有安全可靠、性能稳定，使用超声波技术，选用每秒200万次的超声波高频震荡，将水雾化为1微米到5微米的超微粒子和负氧离子，达到均匀加湿，能清新空气，增进健康, 营造舒适的工作环境等优点。

This product ultrasonic atomization humidifier is safe, reliable and performantStable, using ultrasonic technology, using 2 million ultrasonic waves per secondHigh-frequency scillations atomize water into ultrafine particles of 1 micron to 5 microns and negativesOxygen ions, to achieve uniform humidification, can freshen the air, improve health, camp Creating a comfortable working environment and other advantages.

产品特点：
Features:

性能优越、采用先进的微电脑控制系统，智能恒湿，可自动启停无需人员值守。
Superior performance, adopting advanced microcomputer control system, intelligent constant humidity, and automatic start stop without personnel on duty.

采用集成雾化模块，可更换芯片，维护方便简单，可现场操作。
It adopts an integrated atomization module, replaceable chips, convenient and simple maintenance, and can be operated on site

加湿效率高接近(100%),加湿强度大,产生的雾粒小而均匀,可迅速达到要求的相对湿度。
The humidification efficiency is close to (100%), the humidification intensity is large, and the fog particles produced are small and uniform, which can quickly reach the required relative humidity.

集成雾化机芯自带缺水保护装置，可有效地保证雾化机芯在水位过低时自动停止工作无需另配设备，
The integrated atomization movement comes with a water protection device, which can effectively ensure that the atomization movement will automatically stop working when the water level is too low, and no additional equipment is required

产品规格：
Product Specifications:

产品型号 Product model	MKTSL45ST MKTSL45ST	雾化量 The amount of atomization	45KG/H 45KG/H
额定功率 Rated power	2000W 2000W	电压频率 Rated power	220V-50/60HZ 220V-50/60HZ
控制方式 Control mode	微电脑智能触控 Microcomputer intelligent touch	安全保护 Security	过热/过载/缺水 Overheating/overloading /lack of water
产品尺寸 Product dimensions	820*320*400mm 820*320*400mm	水位监测 Water level monitoring	物理浮球水位监测设计 Physical float water level monitoring design

Address: Room A802, Tiantai E, Shandai Road, Lixia District, Jinan City, Shandong Province
WhatsApp：+8618560033956

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL18ST MTKSL18ST	超声波雾化系统 Ultrasonic atomization system	800/1200/1600W 800/1200/1600W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	微电脑智能触控 Microcomputer intelligent touch	18/27/36KG/H 18/27/36KG/H
安全保护 Security	产品尺寸 Product dimensions	自动控制 Spinner wheels
过热/过载/缺水 Overheating/overloading /lack of water	720*320*400mm 720*320*400mm	设定湿度后自动启动 Automatically starts when the humidity is set
湿度传感器 Humidity sensor	水位监测 Water level monitoring	定时功能 Timer function
5 米长 5 meters long	物理浮球水位监测设计 Physical float water level monitoring design	可设置定时开机 It can be set to turn on at a timer

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL9AT MTKSL9AT	超声波雾化系统 Ultrasonic atomization system	400/800W 400/800W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50HZ 220V-50HZ	微电脑智能触控 Microcomputer intelligent touch	9/18KG/H 9/18KG/H
安全保护 Security	产品尺寸 Product dimensions	湿度传感器 Humidity sensor
过热/过载/缺水 Overheating/overloading /lack of water	700*320*400mm 700*320*400mm	5 米长 5 meters long

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL54SDT MTKSL54SDT	超声波雾化系统 Ultrasonic atomization system	2000/2400W 2000/2400W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	微电脑智能触控 Microcomputer intelligent touch	45/54KG/H 45/54KG/H
安全保护 Security	产品尺寸 Product dimensions	自动控制 Spinner wheels
过热/过载/缺水 Overheating/overloading /lack of water	750*520*335mm 750*520*335mm	设定湿度后自动启动 Automatically starts when the humidity is set
湿度传感器 Humidity sensor	水位监测 Water level monitoring	定时功能 Timer function
5 米长 5 meters long	物理浮球水位监测设计 Physical float water level monitoring design	可设置定时开机， It can be set to turn on at a timer

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL36DT MTKSL36DT	超声波雾化系统 Ultrasonic atomization system	1200/1600W 1200/1600W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	微电脑智能触控 Microcomputer intelligent touch	27/36KG/H 27/36KG/H
安全保护 Security	产品尺寸 Product dimensions	湿度传感器 Humidity sensor
过热/过载/缺水 Overheating/overloading /lack of water	500*400*320mm 500*400*320mm	5 米长 5 meters long

产品名称：超声波雾化系统
Product Name: Ultrasonic Atomization System

本产品超声波雾化加湿机具有安全可靠、性能稳定，使用超声波技术，选用每秒200万次的超声波高频震荡，将水雾化为1微米到5微米的超微粒子和负氧离子，达到均匀加湿，能清新空气，增进健康,营造舒适的工作环境等优点。

This product ultrasonic atomization humidifier is safe, reliable and performantStable, using ultrasonic technology, using 2 million ultrasonic waves per secondHigh-frequency scillations atomize water into ultrafine particles of 1 micron to 5 microns and negativesOxygen ions, to achieve uniform humidification, can freshen the air, improve health, camp Creating a comfortable working environment and other advantages.

产品特点：
Features:

性能优越、采用先进的微电脑控制系统，手自一体操作灵活，可连接PLC或485通讯。
Superior performance, advanced microcomputer control system, flexible manual and automatic operation, can be connected to PLC or 485 communication.

采用集成雾化模块，可更换芯片，维护方便简单，可现场操作。
It adopts an integrated atomization module, replaceable chips, convenient and simple maintenance, and can be operated on site

加湿效率高接近(100%),加湿强度大,产生的雾粒小而均匀,可迅速达到要求的相对湿度。
The humidification efficiency is close to (100%), the humidification intensity is large, and the fog particles produced are small and uniform, which can quickly reach the required relative humidity.

集成雾化机芯自带缺水保护装置，可有效地保证雾化机芯在水位过低时自动停止工作无需另配设备。
The integrated atomization movement comes with a water protection device, which can effectively ensure that the atomization movement will automatically stop working when the water level is too low, and no additional equipment is required

产品规格：
Product Specifications:

| 产品型号 Product model	MKTS90L8 MKTS90L8	雾化量 The amount of atomization	90KG/H 90KG/H
额定功率 Rated power	4000W 4000W	电压频率 Rated power	220V-50/60HZ 220V-50/60HZ
控制方式 Control mode	手自一体化 Microcomputer intelligent touch	安全保护 Security	过热/过载/缺水 Overheating/overloading /lack of water
产品尺寸 Product dimensions	800*660*330mm 800*660*330mm	水位监测 Water level monitoring	物理浮球水位监测设计 Physical float water level monitoring design

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KMTS70L8 KMTS70L8	超声波雾化系统 Ultrasonic atomization system	3200/4000W 3200/4000W
电压频率 Rated power	雾化量 The amount of atomization	控制方式 Control mode
220V-50/60HZ 220V-50/60HZ	70/90KG/H 70/90KG/H	手自一体 Hand Self Integration
产品尺寸 Product dimensions	雾量调节 Mist volume adjustment	安全保护 Security
800*660*330mm 800*660*330mm	可调雾化量大小 Adjustable atomization volume	过热/过载/缺水 Overheating/overloading/lack of water

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KMTS70L8 KMTS70L8	超声波雾化系统 Ultrasonic atomization system	3200/4000W 3200/4000W
电压频率 Rated power	雾化量 The amount of atomization	控制方式 Control mode
220V-50/60HZ 220V-50/60HZ	70/90KG/H 70/90KG/H	手自一体 Hand Self Integration
产品尺寸 Product dimensions	雾量调节 Mist volume adjustment	安全保护 Security
800*660*330mm 800*660*330mm	可调雾化量大小 Adjustable atomization volume	过热/过载/缺水 Overheating/overloading/lack of water

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

技术参数

产品型号 Product model	KT-G1216 KT-G1216
产品名称 Product name	超声波雾化系统 Ultrasonic atomization system
额定功率 Rated power	1200/1600W 1200/1600W
雾化量 The amount of atomization	27/36KG/H 27/36KG/H
控制方式 Control mode	微电脑智能触控 Microcomputer intelligent touch
产品尺寸 Product dimensions	600*400*700mm 600*400*700mm
电压频率 Voltage frequency	220V-50/60HZ 220V-50/60HZ

产品配置

电源 power supply	防水电源*3 Waterproof power supply*3
风机 Fans	工业级 IP67 防水风机 Industrial-grade IP67 waterproof blower
湿度传感器 Humidity sensor	5 米长 5 meters long
过滤配置 Filtering configuration	外置过滤器 External filters
万向轮 Spinner wheels	移动设计 Mobile design
水口设计 Nozzle design	溢水口、进水口、排水口 Overflows, inlets, drains

产品功能

定时功能 Timer function	设置定时开机，无须人员值守 Set a timer to start on, no personnel need to be on duty
水位监测 Water level monitoring	物理浮球水位监测设计 Physical float water level monitoring design
自动控制 Spinner wheels	设定湿度后自动启动加湿 Humidification is automatically initiated after setting the humidity
双进水模式 Dual water inlet mode	自来水进水/自动补水模式 Tap water inlet/automatic replenishment mode
故障自我诊断 Fault self-diagnosis	出现故障提示对应代码 The corresponding code is displayed when afault is displayed
记忆功能 Memory function	断电后恢复之前状态 Restore the previous state after a power failure

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KT-G1216 KT-G1216	超声波雾化系统 Ultrasonic atomization system	1200/1600W 1200/1600W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	手动控制 Manual control	27/36KG/H 27/36KG/H
安全保护 Security	产品尺寸 Product dimensions	自动补液 Auto-rehydration
过热/过载/缺水 Overheating/overloading /lack of water	600*400*700mm 600*400*700mm	自动补充水箱内的水 Automatically replenish the water in the tank
可视化窗口 Visualization window	水位监测 Water level monitoring	可调雾量大小 The amount of fog can be adjusted
观察水桶内剩余水量 Observe the amount of water remaining in the bucket	物理浮球水位监测设计 Physical float water level monitoring design	可手动调节雾量大小 The amount of fog can be adjusted manually

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KT-G468 KT-G468	超声波雾化系统 Ultrasonic atomization system	400/800/1200W 400/800/1200W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	手动控制 Manual control	9/18/24KG/H 9/18/24KG/H
安全保护 Security	产品尺寸 Product dimensions	水位监测 Water level monitoring
过热/过载/缺水 Overheating/overloading /lack of water	400*400*620mm 400*400*620mm	物理浮球水位监测设计 Physical float water level monitoring design

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KT-G1216 KT-G1216	超声波雾化系统 Ultrasonic atomization system	1200/1600W 1200/1600W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	手动控制 Manual control	27/36KG/H 27/36KG/H
安全保护 Security	产品尺寸 Product dimensions	自动补液 Auto-rehydration
过热/过载/缺水 Overheating/overloading /lack of water	600*400*700mm 600*400*700mm	自动补充水箱内的水 Automatically replenish the water in the tank
可视化窗口 Visualization window	水位监测 Water level monitoring	可调雾量大小 The amount of fog can be adjusted
观察水桶内剩余水量 Observe the amount of water remaining in the bucket	物理浮球水位监测设计 Physical float water level monitoring design	可手动调节雾量大小 The amount of fog can be adjusted manually

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KT-G468 KT-G468	超声波雾化系统 Ultrasonic atomization system	400/800/1200W 400/800/1200W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	手动控制 Manual control	9/18/24KG/H 9/18/24KG/H
安全保护 Security	产品尺寸 Product dimensions	水位监测 Water level monitoring
过热/过载/缺水 Overheating/overloading /lack of water	400*400*620mm 400*400*620mm	物理浮球水位监测设计 Physical float water level monitoring design

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL24SDK MTKSL24SDK	超声波雾化系统 Ultrasonic atomization system	1200W 1200W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	独立控制 Independent control	24KG/H 24KG/H
安全保护 Security	产品尺寸 Product dimensions	水位监测 Water level monitoring
过热/过载/缺水 Overheating/overloading /lack of water	500*330*470mm 500*330*470mm	物理浮球水位监测设计 Physical float water level monitoring design

SHootHocl

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KMTSL12AKT MTKSL12AKT	超声波雾化系统 Ultrasonic atomization system	400/600W 400/600W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HN 220V-50/60HN	手动控制 manual control	9/12KG/H 9/12KG/H
安全保护 Security	产品尺寸 Product dimensions	水位监测 Water level monitoring
过热/过载/缺水 Overheating/overloading /lack of water	600*220*300mm 600*220*300mm	物理浮球水位监测设计 Physical float water level monitoring design

清新之风，从雾化香薰开始。
为你的使用环境增添一份清新，商务/家居两用,您
值得拥有。

The fresh breeze starts with atomized aromatherapy.
Add a fresh touch to your usage environment, suitable for both business and home use
Worth having.

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KT-598S KT-589S	香薰魔盒 Aromatherapy Magic Box	400W 400W
电压频率 Rated power	补液方式 Fluid replacement method	控制方式 Control mode
220V-50/60HZ 220V-50/60HZ	自动补液 Automatic fluid replacement	手动控制 manual control
产品尺寸 Product dimensions	雾量调节 Mist volume adjustment	安全保护 Security
520*180*400mm 520*180*400mm	可调雾化量大小 Adjustable atomization volume	过热/过载/缺水 Overheating/overloading/lack of water

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KT-598 KT-589	香薰魔盒 Aromatherapy Magic Box	400W 400W
电压频率 Rated power	补液方式 Fluid replacement method	控制方式 Control mode
220V-50/60HZ 220V-50/60HZ	手动补液 Manual fluid replacement	手动控制 manual control
产品尺寸 Product dimensions	雾量调节 Mist volume adjustment	安全保护 Security
520*180*400mm 520*180*400mm	可调雾化量大小 Adjustable atomization volume	过热/过载/缺水 Overheating/overloading/lack of water

清新之风，从工业加湿机开始。
为你的工厂增添一份湿润，工业加湿机,你
值得拥有。

Fresh air starts with industrial humidifiers.
Add a moist to your plant, an industrial humidifier for you
It's worth having.

ULTRASONIC ATOMIZATION ODOR TREATMENT SYSTEM
超声波雾化异味治理系统

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL6DW MTKSL6DW	超声波雾化系统 Ultrasonic atomization system	250/400W 250/400W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	微电脑智能触控 Microcomputer intelligent touch	6/9KG/H 6/9KG/H
安全保护 Security	产品尺寸 Product dimensions	自动控制 Spinner wheels
过热/过载/缺水 Overheating/overloading/lack of water	430*310*220mm 430*310*220mm	设定湿度后自动启动 Automatically starts when the humidity is set
湿度传感器 Humidity sensor	水位监测 Water level monitoring	定时功能 Timer function
5 米长 5 meters long	物理浮球水位监测设计 Physical float water level monitoring design	可设置定时开机， It can be set to turn on at a timer

产品型号 Product model	产品名称 Product name	额定功率 Rated power
MTKSL9DW MTKSL9DW	超声波雾化系统 Ultrasonic atomization system	250/400W 250/400W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	手动 Manual	6/9KG/H 6/9KG/H
安全保护 Security	产品尺寸 Product dimensions	水位监测 Water level monitoring
过热/过载/缺水 Overheating/overloading/lack of water	430*310*220mm 430*310*220mm	物理浮球水位监测设计 Physical float water level monitoring design

超声波雾化降尘系统
ULTRASONI ATOMIZATION DUST REDUCTION SYSTEM

专为蔬果保鲜设计，可用于蔬菜、，超市、
火锅店、自助餐台 等多种使用场合，
让每一份水果蔬菜保持新鲜。

Specially designed for vegetable and fruit preservation, can be used for vegetables,
supermarketsVarious usage scenarios such as hot pot restaurants and
buffet tables,Keep every fruit and vegetable fresh

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KT-SC158 KT-SC158	果蔬保鲜机 Fruit and vegetable preservation machine	400W 400W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	手动控制 Manual control	7/9KG/H 7/9KG/H
安全保护 Security	产品尺寸 Product dimensions	补水方式 Hydration method
过热/过载/缺水 Overheating/overloading/lack of water	430*310*220mm 430*310*220mm	自动补水 Automatic hydration
雾量调节 Mist volume adjustment	水位监测 Water level monitoring	雾化孔 Atomization hole
可调雾化量大小 Adjustable atomization volume	物理浮球水位监测设计 Physical float water level monitoring design	可上下交换 Can be exchanged up and down

专为蔬果保鲜设计，可用于蔬菜、，超市、
火锅店、自助餐台 等多种使用场合，
让每一份水果蔬菜保持新鲜。

Specially designed for vegetable and fruit preservation, can be used for vegetables,
supermarketsVarious usage scenarios such as hot pot restaurants and
buffet tables,Keep every fruit and vegetable fresh

产品型号 Product model	产品名称 Product name	额定功率 Rated power
KT-SC158 KT-SC158	果蔬保鲜机 Fruit and vegetable preservation machine	250W 250W
电压频率 Rated power	控制方式 Control mode	雾化量 The amount of atomization
220V-50/60HZ 220V-50/60HZ	手动控制 Manual control	3/5KG/H 3/5KG/H
安全保护 Security	产品尺寸 Product dimensions	补水方式 Hydration method
过热/过载/缺水 Overheating/overloading/lack of water	430*310*220mm 430*310*220mm	自动补水 Automatic hydration

S H o o t H o c l ™

ShootHocl

Jinan SHoot Biological Engineering Co., LTD
Address: Room A802, Tiantai E, Shandai Road, Lixia District,
 Jinan City, Shandong Province
WhatsApp：+8618560033956